The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

Micro-Touch<sup>®</sup> Nitra-Tex<sup>®</sup> E.P.™

Products manufactured as of: [2025/02/26]

PPE to be used against category III risks







is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN 421:2010, EN ISO 21420:2020, EN ISO 374-1:2016+A1:2018, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2025/0130, issued by the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

and is subject to the procedure set out in Annex VIII (Module D) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

**Director - Regulatory affairs** 

Ansell

Place: Brussels Date: 2025/02/26

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

# Micro-Touch<sup>®</sup> Nitra-Tex<sup>®</sup> E.P.™

Products manufactured as of: [2022/02/03] and till: [2025/02/25]

### PPE to be used against category III risks







is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN 421:2010, EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2022/0134, issued by the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

Director - Regulatory affairs

Ansell

Place: Brussels Date: 2022/02/03

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

### MICRO-TOUCH® NITRA-TEX® E.P.™

Products manufactured as of: [2018/07/24] and till: [2022/02/02]

### PPE to be used against category III risks





is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN 420:2003 + A1:2009, EN ISO 374-1:2016 Type B, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2018/1271, issued by the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

Director - Regulatory affairs

Ansell

Place: Brussels Date: 2018/07/24

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

# MICRO-TOUCH<sup>®</sup> NITRA-TEX™ E.P.

Products manufactured till: [2018/07/23]

PPE to be used against category III risks





is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN 374:2003, EN 420:2003 + A1:2009 and is identical to the PPE which is subject to the EC Type examination; under certificate number 03313190 issued by the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

**Director - Regulatory affairs** 

Ansell

Place: Brussels Date: 2013/02/19